

 Made in Denmark

**Cozy heat**  
for living



  
**HETA**

# Content

3	Cozy heat for living	<b>INSERTS</b>
4	Choosing the proper stove	72 Vista
<b>STOVE</b>		
<b>Freestanding</b>		
8	Scan-Line 900	74 Scan-Line Prestige
14	Scan-Line 1000	76 Scan-Line Panorama
16	Scan-Line 8	78 Scan-Line Classic
20	Scan-Line 800	80 Inspire + Scan-Line 550
31	Scan-Line 500 + Napoli + Turin	82 Drawings – capacity measurement
36	Scan-Line 7	
38	Scan-Line 95 + 100	
40	Inspire	<b>ENVIRONMENT</b>
44	Ambition 5 + 8	84 We care about the environment
<b>Thermal mass</b>		
48	Scan-Line Solid	88 HETA Automatic Combustion
50	Scan-Line 80	
52	Scan-Line 40 + 50	<b>PELLET STOVES</b>
54	Scan-Line 10 + 20 + 30	91 Scan-Line Green 300
56	Scan-Line Tour	94 Scan-Line Green 200
58	Stay warm for many hours	98 Scan-Line Green 100
60	Surfaces	<b>OUTDOOR</b>
61	Selected thermal mass stoves	102 Quad
<b>Baking stoves</b>		
64	Enjoy the smell and the heat at the same time	104 Tipi
66	Selected baking stoves	<b>ACCESSORIES</b>
67	Inspiration	108 Accessories for stoves
<b>Side windows</b>		
<b>Wall hanging</b>		
68	Enjoy the flames from all sides	110 Glass plates
69	Selected stoves with side windows	
70	Hang your stove on the wall and save floor space	
71	Selected wall hanging stoves	

# Cozy heat for living.

## You get it all with a HETA.

HETA is Danish design and quality, where we have catered for every detail. HETA stoves, inserts and pellet stoves offer a great source of heat in your home, adds to the decor and spread coziness on cold days. When you choose a HETA stove you get cozy heat for living, peace of mind from Danish design and quality, developed through more than 150 years.

In Lemvig, on the west coast of Jutland, HETA is manufacturing all their stoves, inserts, pellet stoves, aqua stoves, thermal mass stoves and outdoor products in steel and cast iron, from idea to finished product.

We are constantly developing, updating and extending our impressive range of stoves. The craftsmanship and the pride of creating our own products are still the main characteristics of HETA, and these values are clearly reflected in our innovative and functional stoves.

We feel strongly about the environment and our common future. For many years, HETA has been working intensely on environmentally friendly manufacturing of clean-burning stoves for the benefit of the environment.

All HETA stoves have impressively high burning value so, you get more out of your firewood, and polluting gases are burned before leaving the chimney.

All stoves are inspected before leaving the factory. In addition to that, you naturally get a full five years' warranty on your HETA stove.



HETA is a family-owned business, located in Lemvig near the west coast of Jutland in Denmark. Today, HETA is selling stoves to customers in 22 countries worldwide. HETA was founded in 1972 with Erik Bach at the steering wheel for the first many years. Today, Erik's two sons, Carsten Bach and Martin Bach, are heading the company.

# Choosing the proper stove

There is a large range to choose from and choosing the right stove is not so simple.

Before you decide, ask yourself the following five questions:



## 1. The size of your stove?

Is your stove to be the primary source of heating or will it just provide a cozy fire-lit atmosphere as a supplement to your present heat source? The answer is crucial for your choice of stove.

A stove's output is measured in kilowatts (kW). kW is an expression of the amount of heat given out by a stove. As a rule-of-thumb, 1 kW can warm up a 10-20 m<sup>2</sup> room with an average ceiling height, depending on the room's insulation. The value "kW tested" shows a stove's output has been tested in accordance with the European Committee for Standardisation's EN standard.

Be careful not to buy a stove with too many kW, the result may be that you use it with too little air supply so that the combustion is not optimum.

## 2. Radiation or convection?

The majority of new stoves use convection, where air is circulated between an inner and outer steel mantle. When the air is heated it rises and heats the room. The convectional heat from a stove warms evenly, but requires a stove to be placed physically closer than a radiation stove. Therefore, you must consider where your stove should be installed. Radiation gives a more intense heat and will be suitable for small rooms.

## 3. Plate steel or cast iron?

Both kinds of materials make excellent stoves and inserts. All HETA's products have both plate steel and cast iron. The allocation set according to durability and design.


## 4. Steel, ceramic, granite or soapstone?

HETA has a wide selection of finishes from steel, casted tiles, ceramic, soapstone, limestone and sandstone cladding options are available, depending on the model you choose. The choice of material is a matter of style and design, though each material has particular characteristics. A stove made entirely from steel or cast iron warms up faster than a ceramics or stone and it also cools faster when the fire has gone out.

Ceramics and especially soapstone take a little longer to warm up, but stay warm long after the fire has gone out. The slightly larger soapstone stoves stay warm for many hours and can easily keep a room or house nice and warm through the night, so you will not wake up cold in the morning.

## 5. Combustion technique?

Take into consideration your wallet and the environment and consider how your stove burns. HETA stoves' quite uniquely-designed firebox and air supply reduce CO<sub>2</sub> and harmful combustion particles to an absolute minimum. HETA's modern combustion technique Clean Burn is particularly effective and removes soot particles on the glass door and through smoke vents. A healthy and comfortable radiation heat starts up immediately through the large glass when you light your stove and shortly after the convection system starts spreading the heat and coziness in the room and the adjoining rooms.



STOVE

# Freestanding

- 8 Scan-Line 900
- 14 Scan-Line 1000
- 16 Scan-Line 8
- 20 Scan-Line 800
- 31 Scan-Line 500 + Napoli + Turin
- 36 Scan-Line 7
- 38 Scan-Line 95 + 100
- 40 Inspire
- 44 Ambition 5 + 8

Scan-Line 900 series

# Exclusivity throughout

Scan-Line 900  
glass door




The Scan-Line 900 series is a stunning wood stove with sharp lines where nothing "disturbs" the eye. The exclusive set of handles that are hidden in the stove's curves are designed for easy use and a unique silicone finish to keep them cool for your pleasure.

Scan-Line 900 is no ordinary wood stove, with its impressive self-closing door, large glass and single air control, allowing you to enjoy the cozy flames in the large combustion chamber. The 900 is a modern

wood stove with all the HETA tradition, an integrated fireplace toolset and a large 5-liter ash bucket is nestled in behind the lower door.

The option of a glass door is available for all models in this impressive series, giving HETA's 900 series modern, stylish design an eloquent look in any home.

## Technical info Scan-Line 900



Oven model	Scan-Line 900	Scan-Line 900B
mm	A: 181 B: 515 C: 1060 D: 421 H: 1191 / 1211	A: 181 B: 515 C: 1030 D: 421 H: 1491 / 1511
Floor to top outlet mm	1167	1467
Energy efficiency class	A+	A+
Nominal kW	6,6	6,6
Output kW	4-12 / 4-13	4-12 / 4-13
Heats up m <sup>2</sup>	35-140 / 35-150	35-140 / 35-150
Weight kg	147 → 201	177 → 243
Fuel volume kg	1,52	1,52
Combustion chamber width mm	347	347
Distance to flammable materials		
At the sides mm	350	350
Behind stove mm	175	175
Installed in a 45° corner	100	100
Distance to furniture mm	1000	1000
Efficiency %	83	83
Dust measurement NS3058 g/kg dry material	1,22	1,22
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	7	7

### Options and details

There's more to read on [heta.dk](#)



Integrated control handles



5 Liter ash bucket and fireside tool set



Glass door

## Scan-Line 900 serie

# Scan-Line 900B

With Scan-Line 900B or 900B with side windows, you can relax in the cozy, warm atmosphere while creating your favorite dishes in the baking oven. The large baking oven is equipped with an adjustable rack for convivence, it also has a unique feature which creates convection as well as removes condensation while baking your favorite dishes.

### Product data

- Handles with unique silicone finish
- Soft close
- Ecodesign ready



Scan-Line 900B  
*soapstone*




Scan-Line 900 series

# Scan-Line 900S

HETA's Scan-Line 900S or 900S with side windows, is the model for you if you're looking for the most out of your stoves heating capabilities. The Scan-Line 900S models have therma stones, they store the heat as you are firing in your stove. In the combination with one of the three stone finishes Soapstone, Blackwood or Limestone, you will be heating your house for 10-12 hours after the fire has died out.

*Scan-Line 900S  
blackwood*

Technical info **Scan-Line 900S**



Oven model	Scan-Line 900S
mm	A: 181 B: 515 C: 1060 D: 421 H: 1491 / 1511
Floor to top outlet mm	1168
Energy efficiency class	A+
Nominal kW	6,6
Output kW	4-12 / 4-13
Heats up m <sup>2</sup>	35-140 / 35-150
Weight kg	214 → 298
Fuel volume kg	1,52
Combustion chamber width mm	347
Distance to flammable materials	
At the sides mm	350
Behind stove mm	175
Installed in a 45° corner	100
Distance to furniture mm	1000
Efficiency %	83
Dust measurement NS3058 g/kg dry material	1,22
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	7

**Options and details** There's more to read on [heta.dk](http://heta.dk)



5 Liter ash bucket  
and fireside tool set



Glass door

## Scan-Line 900 series

With our selection of beautiful stones, you can make your stove a statement in your house like fine décor.


Choose from one of four finishes like soapstone, blackwood, limestone and steel on your Scan-Line 900 with or without side windows.



*Scan-Line 900 side windows  
blackwood*



## Technical info Scan-Line 900 side windows + Scan-Line 900B side windows + Scan-Line 900S side windows



Oven model	Scan-Line 900 side windows	Scan-Line 900B side windows	Scan-Line 900S side windows	
mm	A: 181 B: 515 C: 1060 D: 421 H: 1191 / 1211		A: 181 B: 515 C: 1330 D: 421 H: 1491 / 1511	
Floor to top outlet mm	1167	1467	1167	
Energy efficiency class	A+	A+	A+	
Nominal kW	6,6	6,6	6,6	
Output kW	5-13 / 5-14	5-13 / 5-14	5-13 / 5-14	
Heats up m <sup>2</sup>	35-150 / 35-160	35-150 / 35-160	35-150 / 35-160	
Weight kg	147 → 186	177 → 227	214 → 264	
Fuel volume kg	1,71	1,71	1,71	
Combustion chamber width mm	347	347	347	
Distance to flammable materials				
At the sides mm	400	400	400	
Behind stove mm	150 / 125	150 / 125	150 / 125	
Installed in a 45° corner	200	200	200	
Distance to furniture mm	900	900	900	
Efficiency %	81	81	81	
Dust measurement NS3058 g/kg dry material	2,44	2,44	2,44	
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	7	7	7	

### Options and details

There's more to read on [heta.dk](#)



Limestone

Blackwood top

Integrated control handles

5 Liter ash bucket and fireside tool set

Glass door

Scan-Line 1000 series

# Accommodates pieces of wood up to 50 cm

Cannot be bothered chopping wood? Then Scan-Line 1000 must move in with you. HETA's new, large stove Scan-Line 1000 can accommodate large pieces of wood up to 50 centimetres.

HETA Scan-Line 1000 is robust without filling the room. The stove is built in heavy steel and cast iron and has almost unmatched possibilities for collecting and releasing heat. Behind the lower door you will find the large eight-litre ash pan and there is of course also your fireside tool set.



## Product data


---


- > 50 cm wood
- > Fireside tool set
- > 8 Liter ash bucket
- > Automatic closing

Scan-Line 1000  
soapstone



## Technical info Scan-Line 1000 + 1000S + 1000B



Oven model	Scan-Line 1000	Scan-Line 1000S + B
mm	A: 243 B: 767 C: 801 D: 476 H: 945 / 958	 A: 243 B: 767 C: 801 / 1166 D: 476 H: 1305 / 1292
Floor to top outlet mm	919	919 / 1260
Energy efficiency class	A+	A+
Nominal kW	7,7	7,7
Output kW	4-14	4-15
Heats up m <sup>2</sup>	50-200	50-200
Weight kg	176 → 244	S: 302 → 391 B: 231 → 319
Fuel volume kg	1,8	1,8
Combustion chamber width mm	550	550
Distance to flammable materials		
At the sides mm	425	425
Behind stove mm	120	120
Distance to furniture mm	1300	1300
Efficiency %	86	86
Dust measurement NS3058 g/kg dry material	1,33	1,33
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	10	10

### Options and details

There's more to read on [heta.dk](#)



Soapstone stop



Soapstone



8 Liter ash bucket and fireside tool set



Large baking stove

Scan-Line 8 series

# Small and smart

Scan-Line 8 generates attention in every home. Completely round, Scan-Line 8 works well in any room in any house. Available in different materials and designs, with several smart functions and not least the cleanest tested combustion to date, resulting in record-low particle emissions of 0.63 grams per kilogram of burnt wood.

Scan-Line 8 is the perfect choice for those who prioritize environment-friendly combustion as a stove is a CO<sub>2</sub> neutral and environment-friendly heating source compared to other heating sources. Scan-Line 8 has already won several prizes for its clean combustion.


## Product data



- Lowest particle emission ever
- Large glass
- 5 Liter ash bucket
- Soft close



Scan-Line 8  
soapstone / copper trims

## Technical info Scan-Line 8



Oven model	Scan-Line 8	Scan-Line 8	Scan-Line 8	
mm	A: 222 B: 445 C: 875 D: 445 H: 1011 / 1029		A: 222 B: 445 C: 875 D: 445 H: 1011 / 1029	
Floor to top outlet mm	981	981	981	
Energy efficiency class	A+	A+	A+	
Nominal kW	4,5	4,5	4,5	
Output kW	1,8-7	1,8-7	1,8-7	
Heats up m <sup>2</sup>	20-110	20-110	20-110	
Weight kg	100 → 104	130 → 134	135	
Fuel volume kg	1,1	1,1	1,1	
Combustion chamber width mm	300	300	300	
Distance to flammable materials				
At the sides mm	350	350	350	
Behind stove mm	120	120	120	
Distance to furniture mm	850	850	850	
Efficiency %	81	81	81	
Dust measurement NS3058 g/kg dry material	0,63	0,63	0,63	
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	<3	<3	<3	

### Options and details

There's more to read on [heta.dk](#)



5 Liter ash bucket



Soft close



Air regulation  
and handle



Swivel plate  
and fresh air




Colored trims



Clean combustion

## Technical info

### Scan-Line 8 side windows



Oven model	Scan-Line 8 side windows
mm	A: 222 B: 445 C: 875 D: 445 H: 1011 / 1029
Floor to top outlet mm	981
Energy efficiency class	A+
Nominal kW	4,5
Output kW	2-8
Heats up m <sup>2</sup>	20-90
Weight kg	105 → 110
Fuel volume kg	1,1
Combustion chamber width mm	300
Distance to flammable materials At the sides mm	400
Behind stove mm	100
Distance to furniture mm	700
Efficiency %	81
Dust measurement NS3058 g/kg dry material	0,63
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	<3

#### Options and details

There's more to read on [heta.dk](#)



Side windows  
Cast top

Side windows  
Soapstone top

5 Liter ash bucket

## Scan-Line 8 series

# Enjoy the flames from any angle


Fire and flames spread coziness in every home. Now you can also enjoy the flames from the sides with Scan-Line 8 side windows.



*Scan-Line 8 side windows  
soapstone top*



## Technical info

**Scan-Line 800 + 800M**

Oven model	Scan-Line 800	Scan-Line 800M
mm	A: 214 B: 548 C: 880 D: 440 H: 1043	A: 214 B: 467 C: 880 D: 440 H: 1043
Floor to top outlet mm	1004	1004
Energy efficiency class	A+	A+
Nominal kW	6	6
Output kW	2-9	2-9
Heats up m <sup>2</sup>	20-120	20-120
Weight kg	113 → 200	113
Fuel volume kg	1,5	1,5
Combustion chamber width mm	330	330
Distance to flammable materials		
At the sides mm	300	340
Behind stove mm	125	125
Distance to furniture mm	900	900
Efficiency %	81	81
Dust measurement NS3058 g/kg dry material	2,61	2,61
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	30	30

**Options and details**There's more to read on [heta.dk](#)

8 Liter ash bucket



Fireside tool set



Tobacco sandstone

## Scan-Line 800 series

# Environmentally friendly, beautiful and convenient

Scan-Line 800 is an ellipseshaped stove in a smart and stylish design mainly in cast iron on the visible surfaces. Scan-Line 800 is environmentally friendly, beautiful and convenient all at the same time.

Scan-Line 800 series comprises of six different variants at different heights. The models can be supplied with steel, soapstone, sandstone, blackwood, limestone or ceramic cladding.

Available is also accumulating large volumes of heat, a baking oven, swivel models and combustion chambers at different heights.


**Product data**

- Ellipseshaped design
- Individual height
- Many options for cladding
- Options for baking oven
- Environmentally friendly

Scan-Line 800M



## Technical info Scan-Line 810 + 840S + 840B



Oven model	Scan-Line 810	Scan-Line 840S + B
mm	A: 218 B: 548 C: 1162 D: 440 H: 1357	A: 218 / 214 B: 548 C: 1162 D: 440 H: 1639 / 1607
Floor to top outlet mm	1286	1286 / 1577
Energy efficiency class	A+	A+
Nominal kW	6	6
Output kW	2-9	3-11
Heats up m <sup>2</sup>	20-120	30-130
Weight kg	130 → 238	S: 147 → 328 B: 159 → 290
Fuel volume kg	1,5	1,5
Combustion chamber width mm	330	330
Distance to flammable materials At the sides mm	300	300
Behind stove mm	125	125
Distance to furniture mm	900	900
Efficiency %	81	81
Dust measurement NS3058 g/kg dry material	2,61	2,61
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	30	30

### Options and details

There's more to read on [heta.dk](#)



8 Liter ash bucket



Scan-Line 800  
therma-stones



Ceramic 42 different  
colours



Baking stove



Scan-Line 810  
limestone



Scan-Line 820S  
blackwood



# Enjoy the smell of freshly baked bread

Enjoy the smell of fresh baked bread or perhaps delicious baked potatoes. Scan-Line 830XL-B with baking oven and complete soapstone combines the useful baking oven with the soapstone's superior ability to accumulate heat.

At the same time, the baking oven and the soapstone keep the heat inside the combustion chamber and ensures a fantastic combustion.




*Scan-Line 830XL-B  
soapstone*







Scan-Line 820B  
white ceramic

## Technical info Scan-Line 820S + 820M + 820B



Oven model	Scan-Line 820S	Scan-Line 820M	Scan-Line 820B	
mm	A: 218 B: 548 C: 880 D: 440 H: 1357		A: 214 B: 548 C: 880 D: 440 H: 1325	
Floor to top outlet mm	1004	1004 / 1295	1295	
Energy efficiency class	A+	A+	A+	
Nominal kW	6	6	6	
Output kW	2-9	2-9	2-9	
Heats up m <sup>2</sup>	20-120	20-120	20-120	
Weight kg	137 → 285	137 → 285	142 → 250	
Fuel volume kg	1,5	1,5	1,5	
Combustion chamber width mm	330	330	330	
Distance to flammable materials				
At the sides mm	300	300	300	
Behind stove mm	125	125	125	
Distance to furniture mm	900	900	900	
Efficiency %	81	81	81	
Dust measurement NS3058 g/kg dry material	2,61	2,61	2,61	
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	30	30	30	

### Options and details

There's more to read on [heta.dk](#)



8 Liter ash bucket



Fireside tool set



Ceramic 42 different colours



Baking oven Ceramic




Clean combustion



Baking oven




Scan-Line 820B  
*soapstone*





## Visual attraction in your living room

If you choose Scan-Line 820B with soapstone you have ensured visual attraction in your living room and you can bake at the same time. Soapstone is a beautiful natural material with a fantastic heat accumulation and it stays warm long after the fire has gone out.


## Technical info Scan-Line 830/830XL-B + 850 + 850 wall hanging



Oven model	Scan-Line 830/830XL-B	Scan-Line 850 rotating pedestal	Scan-Line 850 wall hanging		
mm	A: 218 B: 548 C: 880 D: 440 H: 1639		A: 218 B: 560 C: 885 D: 445 H: 1035 / 1048		A: 242 B: 548 / 560 C: 516 D: 468 / 469 H: 682 / 711
Floor to top outlet mm	1383	996 / 1013	640		
Energy efficiency class	A+	A+	A+		
Nominal kW	6	6	6		
Output kW	3-11	3-11	3-11		
Heats up m <sup>2</sup>	30-130	25-120	25-120		
Weight kg	190 → 366	112 → 168	102 → 158		
Fuel volume kg	1,5	1,5	1,5		
Combustion chamber width mm	330	330	330		
Distance to flammable materials At the sides mm	300	300	300		
Behind stove mm	125	125	125		
Distance to furniture mm	900	900	900		
Efficiency %	81	81	81		
Dust measurement NS3058 g/kg dry material	2,61	2,61	2,61		
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	30	30	30		

### Options and details

There's more to read on [heta.dk](http://heta.dk)



Cast top

Fireside tool set

Ceramic 42 different colours

Scan-Line 800 therma-stones

Clean combustion

Baking oven

Scan-Line 500 series

Scan-Line 520B  
soapstone

# A choice of many models

Scan-Line 500 + 510 + 520B series is based on the steel models, available in 8 different versions.

These are supplemented by soapstone tops, complete soapstone and caramic models in 42 different colours, which can be freely combined just as you dream about.

The combustion chamber can accommodate a lot of wood, and the Scan-Line 500 series naturally meets all current regulatory requirements, thanks to the latest clean burn combustion technology.



Scan-Line 500 series

## Product data

---

- › A choice of many materials and colours
- › Unrivalled combustion
- › Large and deep combustion chamber



*Scan-Line 510  
soapstone*


## Technical info Scan-Line 500 + 510 + 520B + 590



Oven model	Scan-Line 500	Scan-Line 510	Scan-Line 520B	Scan-Line 590
mm	A: 141 / 147 B: 504 / 570 C: 794 D: 468 / 498 H: 1010 / 1030	A: 141 B: 504 C: 974 / 794 D: 468 H: 1190	A: 141 / 147 B: 504 / 570 C: 794 D: 468 / 498 H: 1190 / 1210	A: 142 B: 504 C: 794 D: 468 H: 1285 / 1295
Floor to top outlet mm	930	1110	1163	930
Energy efficiency class	A+	A+	A+	A+
Nominal kW	6,1	6,1	6,1	6,1
Output kW	3-9	3-9	3-8	3-9
Heats up m <sup>2</sup>	30-120	30-120	40-130	30-120
Weight kg	108 → 185	115 → 214	134 → 229	182 → 198
Fuel volume kg	1,24	1,24	1,24	1,24
Combustion chamber width mm	340	340	340	340
Distance to flammable materials				
At the sides mm	350	350	350	350
Behind stove mm	150	150	150	150
Distance to furniture mm	1000	1000	1000	1000
Efficiency %	83	83	83	83
Dust measurement NS3058 g/kg dry material	4,57	4,57	4,57	4,57
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	22	22	22	22

### Options and details

There's more to read on [heta.dk](#)



8 Liter ash bucket

Soapstone

Cast iron door

Ceramic 42 different colours

Baking oven Ceramic

Baking stove

Scan-Line Napoli + Turin

# HETA classics

Scan-Line Napoli and Scan-Line Turin are HETA classics. Both stoves have a generous soapstone or ceramic cladding. Scan-Line Napoli and Scan-Line Turin are available in as many as 42 different colours in the ceramic range. The soapstone provides extensive heat release over time.


## Product data

- › Beautiful ellipseshaped model
- › Choose among many different claddings
- › The soapstone provides extensive heat release over time



Scan-Line Turin  
soapstone

## Technical info Scan-Line Napoli + Turin



Oven model	Scan-Line Napoli	Scan-Line Turin
<b>mm</b>	A: 157 B: 614 C: 836 D: 486 H: 1056	A: 157 B: 614 C: 836 D: 486 H: 1302
<b>Floor to top outlet mm</b>	972	1257
<b>Energy efficiency class</b>	A+	A+
<b>Nominal kW</b>	6,1	6,1
<b>Output kW</b>	3-10	4-12
<b>Heats up m<sup>2</sup></b>	30-140	30-150
<b>Weight kg</b>	142 → 213	186 → 268
<b>Fuel volume kg</b>	1,24	1,24
<b>Combustion chamber width mm</b>	340	340
<b>Distance to flammable materials</b> <b>At the sides mm</b>	350	350
<b>Behind stove mm</b>	150	150
<b>Distance to furniture mm</b>	1000	1000
<b>Efficiency %</b>	83	83
<b>Dust measurement</b> <b>NS3058 g/kg dry material</b>	4,57	4,57
<b>Dust measurement</b> <b>Mg/Nm<sup>3</sup> 13% O<sub>2</sub></b>	22	22

### Options and details

There's more to read on [heta.dk](http://heta.dk)



8 Liter ash bucket



Ceramic 42 different colours



Clean combustion



Baking oven

Scan-Line 7 series

# Compact, modern design

Scan-Line 7 is available in many options from the traditional steel stove to a combination with either soapstone or sandstone. Scan-Line 7 can be wall-hung or mounted on a pedestal with a swivel function.


The Scan-Line 7 series is the perfect stove for smaller heating requirements.

## Product data

- › Small and robust
- › Choose among many different options
- › Good for smaller heating requirements
- › Large 8 Liter ash bucket



## Technical info Scan-Line 7B + 7C + 7D



Oven model	Scan-Line 7B	Scan-Line 7C	Scan-Line 7D rotating pedestal
<b>mm</b>	A: 196 B: 462 C: 698 D: 415 H: 880	A: 220 B: 452 C: 525 D: 440 H: 710	A: 196 B: 462 C: 883 / 896 D: 415 H: 1063 / 1076
<b>Floor to top outlet mm</b>	812	640	994 / 1013
<b>Energy efficiency class</b>	A+	A+	A+
<b>Nominal kW</b>	4	4	4
<b>Output kW</b>	2-6	2-6	2-6
<b>Heats up m<sup>2</sup></b>	20-80	20-80	20-80
<b>Weight kg</b>	96 → 149	93 → 105	103 → 118
<b>Fuel volume kg</b>	1	1	1
<b>Combustion chamber width mm</b>	306	306	306
<b>Distance to flammable materials</b>			
At the sides mm	100	100	100
Behind stove mm	100	non flammable wall	100
<b>Distance to furniture mm</b>	800	800	800
<b>Efficiency %</b>	83,1	83,1	83,1
<b>Dust measurement NS3058 g/kg dry material</b>	2,18	2,18	2,18
<b>Dust measurement Mg/Nm<sup>3</sup> 13% O<sub>2</sub></b>	20	20	20

### Options and details

There's more to read on [heta.dk](http://heta.dk)



3 Liter ash bucket



8 Liter ash bucket



Soapstone



Rotating pedestal

Scan-Line 95 + 100 series

# Spread the coziness



Scan-Line 95 + Scan-Line 100 are beautiful and give extensive heat release and coziness. The stove seems almost to float on air and if you choose the model with swivel pedestal you can spread the heat and mesmerising coziness exactly where you want it. The unique and new combustion technique provides an amazing clean combustion.

## Product data

- > Panoramic view of the flames
- > Elegant closing mechanism
- > Fantastic combustion

## Technical info Scan-Line 95 + 95H + 100



Oven model	Scan-Line 95 rotating pedestal	Scan-Line 95H	Scan-Line 100 rotating pedestal
mm	A: 151 B: 760 C: 739 / 754 D: 433 H: 1007 / 1022	A: 151 B: 790 C: 764 D: 436 H: 1045	A: 151 B: 1019 C: 742 / 758 D: 433 H: 1007 / 1022
Floor to top outlet mm	943 / 961	965	883 / 901
Energy efficiency class	A	A	A+
Nominal kW	6,5	6,5	9
Output kW	3-9	3-9	5-15
Heats up m <sup>2</sup>	30-120	30-120	50-150
Weight kg	142	165	172
Fuel volume kg	1,9	1,9	2,3
Combustion chamber width mm	548 / 462	548 / 462	808 / 730
Distance to flammable materials			
At the sides mm	350	350	250
Behind stove mm	150	150	100
Distance to furniture mm	1100	1100	1200
Efficiency %	80	80	81
Dust measurement NS3058 g/kg dry material	2,74	2,74	2,68
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	28	28	12

### Options and details

There's more to read on [heta.dk](#)



Rectangular model



Integrated control handles



Air regulation



Clean combustion



Rotating pedestal

Inspire

# Smaller, but robust

Inspire are smaller, highly rugged burning stoves from the best quality 5-8 mm steel with a solid cast iron door, fire base and shaker grate. Inspire stoves produce 4 - 6.3 kW making them ideal for modern rooms and traditional country cottages or cabins. The Inspire oven combustion is very easy to control and combustion performance is excellent from as low as 2 kW.

*Inspire 45*




## Product data

---

- Perfect for smaller rooms
- Available on an integrated log store
- Easy to control the combustion

## Technical info Inspire 40 + 40 high + 45 + 45 high



Oven model	Inspire 40 + 40 high	Inspire 45 + 45 high
<b>mm</b>	A: 113 B: 460 C: 467 / 737 D: 367 H: 584 / 855	A: 116 B: 540 C: 451 / 751 D: 377 H: 555 / 855
<b>Floor to top outlet mm</b>	596 / 866	566 / 866
<b>Energy efficiency class</b>	A+	A+
<b>Nominal kW</b>	4,5	4,9
<b>Output kW</b>	2,6	2,5-7
<b>Heats up m<sup>2</sup></b>	20-80	25-90
<b>Weight kg</b>	74 → 92	80 → 106
<b>Fuel volume kg</b>	1,1	1,2
<b>Combustion chamber width mm</b>	370	424
<b>Distance to flammable materials</b> <b>At the sides mm</b>	340 / 400	300 / 300
<b>Behind stove mm</b>	120 / 190	195 / 150
<b>Distance to furniture mm</b>	900	860
<b>Efficiency %</b>	81	84
<b>Dust measurement</b> <b>NS3058 g/kg dry material</b>	2,86	1,89
<b>Dust measurement</b> <b>Mg/Nm<sup>3</sup> 13% O<sub>2</sub></b>	27	8

### Options and details

There's more to read on [heta.dk](#)



Soapstone top



Air regulation



Handle



Top outlet

Inspire 55



Inspire

# A versatile stove


Inspire has clean lines and exquisite materials and is ideal in any home and decor. Inspires are perfect for small, modern rooms and traditional country cottages or cabins. The Inspires combustion is very easy to control and combustion performance is excellent from as low as 3 kW.

The wide combustion chamber in Inspire 55 and Inspire 55 high gives a beautiful panoramic view of the flames plus lots of room for the wood. The large glass window provides extensive heat release to the room and makes Inspire 55 a very versatile stove. Inspire 55 is available with integrated log store.

## Product data

- › 50 cm wood
- › Available as high and low series

## Technical info **Inspire 55 + 55 high**



Oven model	Inspire 55 + 55 high
mm	A: 130 B: 642 C: 451 / 807 D: 403 H: 555 / 910
Floor to top outlet mm	566 / 921
Energy efficiency class	A
Nominal kW	6,3
Output kW	3-8,5
Heats up m <sup>2</sup>	30-120
Weight kg	108 → 131
Fuel volume kg	1,5
Combustion chamber width mm	560
Distance to flammable materials At the sides mm Behind stove mm	420 220 / 150
Distance to furniture mm	1200
Efficiency %	80
Dust measurement NS3058 g/kg dry material	3,15
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	28

## Options and details


There's more to read on [heta.dk](#)



Integrated log store




Air regulation



Handle

## Technical info Ambition 5 + 8



Oven model	Ambition 5	Ambition 8
mm	A: 137 B: 550 C: 516 / 817 D: 345 H: 619 / 920	A: 137 B: 550 C: 516 / 817 D: 416 H: 619 / 920
Floor to top outlet mm	619	619
Energy efficiency class	A+	A
Nominal kW	4,9	6,5
Output kW	3-7	4-12
Heats up m <sup>2</sup>	30-100	50-130
Weight kg	98 → 113	110 → 131
Fuel volume kg	1,2	1,8
Combustion chamber width mm	470	482
Distance to flammable materials		
At the sides mm	400	400
Behind stove mm	200	225
Distance to furniture mm	1100	1100
Efficiency %	85	80
Dust measurement NS3058 g/kg dry material	0,78	0,6
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	22	27

### Options and details

There's more to read on [heta.dk](#)



Quality cast iron



Air regulation



Clean combustion

Ambition

# Enjoy the flames

Sit back relax and enjoy your wood burning experience with a HETA Ambition 5 or 8. Featuring a larger glass for viewing the mesmerizing flames. HETA's Clean Burn combustion controlled by a single lever, giving you superior control.

The Ambition 5 and 8 also has an easy to assemble log store, that can be purchased separately. Giving you the option to enjoy this impressive stove in any house.

### Product data

- › Small and cozy
- › Perfect for smaller rooms
- › Available with top or back outlet



*Ambition*



 Made in Denmark




STOVE

# Thermal mass

- 48 Scan-Line Solid
- 50 Scan-Line 80
- 52 Scan-Line 40 + 50
- 54 Scan-Line 10 + 20 + 30
- 56 Scan-Line Tour
- 58 Stay warm for many hours
- 60 Surfaces
- 61 Selected thermal mass stoves

## Technical info Scan-Line Solid C



Oven model	Scan-Line Solid
mm	A: 303 B: 712 C: 1324 D: 598 H: 1632
Floor to top outlet mm	1107
Energy efficiency class	A
Nominal kW	8
Output kW	5-14
Heats up m <sup>2</sup>	50-220
Weight kg	325 → 400
Fuel volume kg	2,1
Combustion chamber width mm	614
Distance to flammable materials At the sides mm Behind stove mm	550 -
Distance to furniture mm	1100
Efficiency %	79
Dust measurement NS3058 g/kg dry material	2,15
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	27

### Options and details

There's more to read on [heta.dk](#)



Quality materials



Air regulation



Convection top

## Scan-Line Solid C

# Become trendy with concrete

Concrete is one of the hottest modern materials in your home. Now you can also enjoy the beautiful raw material on the new, pure style stove HETA Scan-Line Solid. The Scan-Line Solid is built in grey concrete, which matches the modern housing. If you are fond of colours, Scan-Line Solid can easily be painted in just the colour that fits your home.

You get a fantastic look at the flames from three sides. With a self-locking door on the Scan-Line Solid, you only need to concentrate on firing up and enjoying the heat.

Scan-Line Solid can be placed wherever you want, even beside a flammable wall. You can use Scan-Line Solid as a traditional stove with quick heating, and you can take advantage of the heat retaining ability, by buying thermal stones, that release the heat slowly over many hours.

## Product data

- > Concrete
- > Windows on three sides
- > Can be placed against flammable surfaces

Scan-Line Solid C





Scan-Line 80XL  
ceramic

Scan-Line 80 series

# Heat for many hours

Scan-Line 80 and 80XL generate attention in every home. Scan-Line 80 and Scan-Line 80XL consist of large solid soapstone or ceramic tiles. Scan-Line 80 and 80XL is based on HETA's popular Scan-Line 800 combustion chamber which operates efficiently down to 3 kW.


Scan-Line 80XL comes with two large heat storage stones. Together with the tiles it will store the heat for many hours after the last firing. Scan-Line 80 has the same fine quality as 80XL, however it accumulates less heat.

## Product data

- › Generates attention
- › Modern design
- › Generates heat for many hours
- › Large ash bucket
- › Extra storage room

## Technical info Scan-Line 80

### + 80XL + 80XL-B



Oven model	Scan-Line 80	Scan-Line 80XL + B
mm	A: 302 B: 605 C: 1014 D: 585 H: 1217	A: 302 B: 605 C: 1014 D: 585 H: 1793
Floor to top outlet mm	1138	1521
Energy efficiency class	A+	A+
Nominal kW	6	6
Output kW	3-12	3-12
Heats up m <sup>2</sup>	30-135	30-135
Weight kg	206 → 266	271 → 395
Fuel volume kg	1,5	1,5
Combustion chamber width mm	330	330
Distance to flammable materials		
At the sides mm	300	300
Behind stove mm	125	125
Distance to furniture mm	900	900
Efficiency %	81	81
Dust measurement NS3058 g/kg dry material	2,61	2,61
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	30	30

## Options and details

There's more to read on [heta.dk](http://heta.dk)



Pull out door



8 Liter ash bucket



Baking oven

Scan-Line 40 + 50 series

# clean lines

Scan-Line 40 + 50 attracts attention with its beautiful strong design. You can use Scan-Line 40 + 50 as a traditional stove and it will heat a room up relatively quickly. Or you can close off the convection and use the thermal mass principle, allowing the 500 kg of soapstone to slowly release the heat over many hours.




## Product data

- › Strong design
- › Generates heat for many hours
- › Perfect combustion



## Technical info Scan-Line 40 + 40B + 50 + 50B



Oven model	Scan-Line 40 + 40B	Scan-Line 50 + 50B
mm	A: 205 B: 530 C: 916 D: 450 H: 1605	A: 205 B: 530 C: 1431 / 1946 D: 450 H: 2120
Floor to top outlet mm	1054	1054 / 1287
Energy efficiency class	A+	A+
Nominal kW	6,1	6,1
Output kW	3-10	3-12
Heats up m <sup>2</sup>	30-130	30-150
Weight kg	420 → 482	566 → 584
Fuel volume kg	1,24	1,24
Combustion chamber width mm	340	340
Distance to flammable materials		
At the sides mm	350	350
Behind stove mm	150	150
Distance to furniture mm	1000	1000
Efficiency %	83	83
Dust measurement NS3058 g/kg dry material	4,57	4,57
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	22	22

### Options and details

There's more to read on [heta.dk](#)



Pull out door



8 Liter ash bucket



Baking oven

Scan-Line 10 + 20  
+ 30 series

# Two in-one stove

Scan-Line 10 + 20 + 30 combine the traditional characteristics of the stove and the thermal mass stove. You can use the stove as a traditional stove and it will heat a room up relatively quickly. Or you can close off the convection and use the thermal mass principle, allowing the 450-614 kg of soapstone to slowly release the heat over many hours.


## Product data

- › Round design
- › Generates heat for many hours
- › Can also be used as a traditional stove

Scan-Line 30B



## Technical info Scan-Line 10 + 20 + 20B + 30 + 30B



Oven model	Scan-Line 10	Scan-Line 20	Scan-Line 30B
mm	A: 264 B: 640 C: 1068 D: 640 H: 1261	A: 264 B: 640 C: 1330 D: 640 H: 1523	A: 264 B: 640 C: 1592 D: 640 H: 1785
Floor to top outlet mm	952	952	952
Energy efficiency class	A+	A+	A+
Nominal kW	6,1	6,1	6,1
Output kW	3-12	3-12	3-12
Heats up m <sup>2</sup>	30-120	30-130	30-150
Weight kg	451	519	614
Fuel volume kg	1,24	1,24	1,24
Combustion chamber width mm	340	340	340
Distance to flammable materials At the sides mm	350	350	350
Behind stove mm	150	150	150
Distance to furniture mm	1000	1000	1000
Efficiency %	83	83	83
Dust measurement NS3058 g/kg dry material	4,57	4,57	4,57
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	22	22	22

### Options and details

There's more to read on [heta.dk](#)



Ash bucket



Handle



Clean combustion



Baking oven

Scan-Line Tour

# Top-class quality

Scan-Line Tour 10 + 20 + 30 have been designed to draw admiring gazes. The exclusive combination of the Scan-Line Compact 500 fire insert and the tiles represents top-class quality to meet every customer's requirements.

Scan-Line Tour 10 + 20 + 30 is a traditional solution with convection air regulation. Scan-Line Tour 20 + 30 can be fitted with extra accessories, e.g. extra heat storage in the form of 150 kg of heat accumulating stone.

## Product data

---

- › Throughout quality
- › Sensational design
- › Generates heat for many hours






## Technical info Scan-Line Tour 10 + 20 + 30



Oven model	Scan-Line Tour 10	Scan-Line Tour 20	Scan-Line Tour 30
mm	A: 310 B: 620 C: - D: 620 H: 1380	A: 310 B: 620 C: 1298 D: 620 H: 1684	A: 310 B: 620 C: 1602 D: 620 H: 1988
Floor to top outlet mm	978	978	978
Energy efficiency class	A+	A+	A+
Nominal kW	6,1	6,1	6,1
Output kW	3-12	3-12	3-12
Heats up m <sup>2</sup>	30-120	30-130	30-150
Weight kg	254	292	330
Fuel volume kg	1,24	1,24	1,24
Combustion chamber width mm	340	340	340
Distance to flammable materials			
At the sides mm	350	350	350
Behind stove mm	150	150	150
Distance to furniture mm	1000	1000	1000
Efficiency %	83	83	83
Dust measurement NS3058 g/kg dry material	4,57	4,57	4,57
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	22	22	22

### Options and details

There's more to read on [heta.dk](http://heta.dk)



Ash bucket

Black ceramic

Handle

Clean combustion



Scan-Line 1000S

Scan-Line 800  
therma-stones

Thermal mass stoves


## Stay warm for many hours

Draw admiring glances while you stay warm! HETA's exclusive thermal mass stoves draw generate attention and fulfil all your wishes. You can use the thermal mass stove as a traditional stove with quick heating, or you can take advantage of the thermal mass stove and let it release the heat slowly over many hours.

By having a HETA thermal mass stove in your home you also save wood, as our thermal mass stove stores the heat for up to 18 hours. Our therma-stones are made of a special material based on concrete which absorb the heat particularly well and release the heat over a longer period.

There is more on [heta.dk](http://heta.dk)

## Comparing therma capacity





Scan-Line 560S

## Therma-stones



Scan-Line 820S




Scan-Line 830S



Scan-Line 840S



Scan-Line 830S




Scan-Line 50

# Surfaces

## Soapstone

Soapstone looks fascinating, but it also stores large inner values. Soapstone keeps the heat long after the fire has gone out. Soapstone releases the heat very slowly and consistent to the room. After only 2-3 fillings the slightly larger soapstone stoves keep the room heated for up to 14 hours, so you do not get up cold in the morning.



Soapstone is a 3 billion years old mineral available in different hardness and colours. HETA's soapstone is grey, but due to the fantastic play of colours not two stones are identical.

## Ceramic

Ceramic tiles keep the heat long after the fire has gone out. The tiles also give your stove character. You can choose among 42 different colours. You can combine the colours to precisely suit your wish and your housing style.




*Ceramic is available for Scan-Line 500, Scan-Line 800, Scan-Line Turin, Napoli and Tour.*

There is more to read on [heta.dk](http://heta.dk)

## Sandstone and Blackwood

Sandstone keeps the heat long after the fire has gone out. Sandstone also gives your stove character. Sandstone is available in many different colours. Some sandstone looks like wood with structure and grains.



HETA's sandstone comes from the Himalaya mountains at around the 2900 meters elevation. Sandstone is a fine-grained natural stone tied together by quartz sand. The fantastic play of colours in the stone comes from compaction through billions of years and surface flow. Thus, not two stones are equal.

## Limestone

Limestone is a natural stone crafted over millions of years. Limestone has been used throughout the ages, from buildings to sculptures and now it is available on selected HETA stoves and pellet stoves.



HETA's Limestone will give your stove a unique appearance, as well as hold the heat from the fire, releasing it slowly after the fire has gone out. Limestones Travertine like appearance, is stylish and timeless, fitting perfectly into your homes design.

# Selected thermal mass stoves



Scan-Line 590



Scan-Line 560S



Scan-Line 1000S



Scan-Line 830S




Scan-Line 820S



Scan-Line Turin



 Made in Denmark



STOVE

# Baking stove

- 64 Enjoy the smell and the heat at the same time
- 66 Selected baking stoves
- 67 Inspiration



Baking stoves

# Enjoy the smell and the heat at the same time

Your HETA stove can be used for more than just generating heat. The smell of freshly baked bread is divine, and by using HETA's modern thermal mass stoves and baking stoves you can take advantage of the heat and enjoy the smell in your living room. You can bake rolls, bread and cakes.

You can also roast a chicken or a steak, make salty almonds and bake a pizza in your HETA baking stove

and stay warm at the same time. A HETA baking stove gives you unmatched possibilities and a unique food experience stimulating all your senses. Feel the heat from the large viewing window of the stove and enjoy the dancing flames. Listen to the mesmerising sound of burning wood, smell and taste the food. The stove's position as the hub of the room is intensified by the senses traveling.



*Are you also crazy  
about different cooking?  
Look forward to  
HETA's baking stoves.*

# Selected baking stoves



Scan-Line 1000B



Scan-Line 520B



Scan-Line 820B



Scan-Line 900B



Scan-Line 40B



Scan-Line 30B

# Inspiration



## Bruchetta as a starter

(2 pers.)

1 ea French loaf (wheat)

3 tbsp oil

3 ripe tomatoes

1 large red onion

1/2 pot of basil

### How to do

Slice the French loaf, brush with oil and bake it in the oven until crumbly. Chop tomatoes and red onion finely. Rinse and chop the basil. Fold it in a bit of oil. Mix the 3 ingredients and place on top of the crumbly French loaf. Serve immediately.

Find our favorite dishes at [heta.dk](http://heta.dk)



*Scan-Line 8 side windows with soapstonetop  
and HETA Automatic Combustion*



Side windows

## Enjoy the flames from all sides

HETA's stoves with side windows give a fantastic view of the flames. By having side windows in your stove you can enjoy the coziness and the light from the flames from all sides, no matter where you are.

Naturally, the beautiful sight is achieved without affecting the perfect combustion.

## Selected stoves with side windows



**Scan-Line 900**  
side windows



**Scan-Line 820S**  
side windows



**Scan-Line 850M**  
side windows



**Scan-Line 800M**  
side windows

Wall hanging

# Save floor space

The floating stove brings coolness and coziness into your living room or kitchen. A wall hanging stove works well in small rooms as it does not take up as much room as a traditional stove.

You can place the stove in a suitable height for you so you avoid bending down when firing. You can also mount it in the exact height that gives you the best view of the flames from your favourite chair. HETA's wall hanging stoves make cleaning easy as you can vacuum and wash the floor under the stove.



*Scan-Line 850 wall hanging  
blackwood top*

# Selected wall hanging stoves



*A wall hanging stove works well in small rooms as it does not take up much room*

## Makes cleaning easier

Hang Scan-Line 850 on the wall. Vacuum cleaning and washing the floor around your stove does not get any easier. At the same time, you can place the stove in exactly the height that makes it easy for you to add more wood and fire up.



**Scan-Line 7C**



**Scan-Line 850M** side windows

There is more to read on [heta.dk](http://heta.dk)

Vista insert

# Modern and compact

HETA's Vista insert is a modern compact insert, with a panoramic view of enchanting flames through the wide glass door. With HETA's signature single air control, Vistas combustion is easy to control, giving you the heat or cozy atmosphere, you desire.


Along with ease of control the Vista has a stylish integrated door handle and self-latching door, making lighting and re-fueling your Vista enjoyable.

Vista is the perfect insert for new homes and designed to be placed in most existing open fire-places, its measurements are as follows Width 694 mm, Height 489 mm and Depth 453 mm.

You have the option of a stylish frame, custom frame or installing it frameless, thanks to the Vistas 3 mm ridged convection case.

If your installation requires direct air, an optional fresh air connector can be purchased separately.


## Technical info Vista



Oven model	Vista
mm	A: 289/304 (30°) B: 748 C: 439 (30°) D: 450 H: 543
Floor to top outlet mm	-
Energy efficiency class	A+
Nominal kW	7
Output kW	3-10
Heats up m <sup>2</sup>	30-130
Weight kg	106
Fuel volume kg	1,76
Combustion chamber width mm	544
Distance to flammable materials	
At the sides mm	110
Behind stove mm	150
Distance to furniture mm	1100
Efficiency %	81
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	14

### Options and details

There is more to read on [heta.dk](#)



Air regulation



Clean combustion



Scan-Line Prestige

# clean and strong design

Scan-Line Prestige matches modern interior design and having windows on up to three sides you can enjoy the view of the flames from all angles. Scan-Line Prestige is available in four different models. You get an elegant solution in your home no matter which model you choose. The design is clean and strong and matches modern interior design.


All visible sides are made from cast iron and at the same time, the frames around the convection box can be customized. The door is opened and closed soundless with the discrete handle, and you can decide on which side the handle is placed.



## Product data

- › Can be customized
- › Optional windows on three sides

## Technical info Scan-Line Prestige A + B + C



Oven model	Scan-Line Prestige A	Scan-Line Prestige B	Scan-Line Prestige C
mm	A: 294 B: 752 D: 463 H: 501	A: 295 B: 731 D: 480 H: 501	A: 294 B: 710 D: 480 H: 501
Floor to top outlet mm	-	-	-
Energy efficiency class	A	A	A
Nominal kW	8	8	8
Output kW	5-14	5-14	5-14
Heats up m <sup>2</sup>	40-160	40-170	40-180
Weight kg	92	96	101
Fuel volume kg	2,1	2,1	2,1
Combustion chamber width mm	614	614	614
Distance to flammable materials			
At the sides mm	-	-	-
Behind stove mm	-	-	-
Distance to furniture mm	1100	1100	1100
Efficiency %	79	79	79
Dust measurement NS3058 g/kg dry material	2,15	2,15	2,15
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	27	27	27

### Options and details

There is more to read on [heta.dk](http://heta.dk)



Craftsmanship


Air regulation

Wood storage BL

Wood storage BR

Wood storage C

## Technical info Scan-Line Panorama + XL



Oven model	Scan-Line Panorama	Scan-Line Panorama XL
mm	A: 324 B: 778 C: 322 D: 445 H: 647	A: 275 B: 1038 C: 313 D: 437 H: 647
Floor to top outlet mm	-	-
Energy efficiency class	A	A+
Nominal kW	6,5	9
Output kW	3-9	5-15
Heats up m <sup>2</sup>	30-120	50-150
Weight kg	112	145
Fuel volume kg	1,9	2,3
Combustion chamber width mm	548 / 462	808 / 730
Distance to flammable materials		
At the sides mm	-	-
Behind stove mm	-	-
Distance to furniture mm	1100	1200
Efficiency %	80	81
Dust measurement NS3058 g/kg dry material	2,74	2,68
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	28	12

### Options and details

There's more to read on [heto.dk](#)



Customized front frames



Air regulation



Integrated control handles

Scan-Line  
Panorama

# Almost like a painting

Scan-Line Panorama gives you an exceptional panoramic view of the flames. The fire insert is easy to operate, and the large, stylish panoramic window with an almost hidden control handle is beautiful and looks almost like a piece of art hanging on the wall.

Scan-Line Panorama is available with customized front frames that fits into your home precisely.

### Product data

- Modern design
- Hidden control handles
- Can be customized



Scan-Line Panorama XL

*Scan-Line Classic 2*

Scan-Line Classic

# Beautiful view of the flames

Scan-Line Classic with its clean lines merges into the modern and stylish home. You have a beautiful view of the flames through the panoramic window.

## Product data

- > Modern design
- > Hidden control handles
- > Panoramic window

Technical info **Scan-Line Classic 1 + 2**



Oven model	Scan-Line Classic 1	Scan-Line Classic 2
mm	A: 315 / 332 (30°) B: 735 C: 460 D: 501	A: 315 / 332 (30°) B: 735 C: 460 D: 543
Floor to top outlet mm	-	-
Energy efficiency class	A+	A+
Nominal kW	6,4	6,4
Output kW	3,5-10	3,5-10
Heats up m <sup>2</sup>	30-130	30-130
Weight kg	94	88
Fuel volume kg	1,7	1,7
Combustion chamber width mm	510	510
Distance to flammable materials		
At the sides mm	-	-
Behind stove mm	-	-
Distance to furniture mm	1200	1200
Efficiency %	81	81
Dust measurement NS3058 g/kg dry material	-	-
Dust measurement Mg/Nm <sup>3</sup> 13% O <sub>2</sub>	29	29

## Options and details

There's more to read on [heta.dk](#)



Quality steel



Hidden control handles



Clean combustion

Inspire +  
Scan-Line 550

# Small and robust

Enjoy the flames in our trendy fire inserts Inspire or Scan-Line 550. HETA's clean burn combustion technique, controlled by one single handle, gives you a perfect view through the clear portrait window. Inspire and Scan-Line 550 are the perfect choices for smaller rooms or a cozy moment.

## Product data

- › Small and high
- › Good for smaller rooms

*Inspire*




## Technical info Inspire wall + floor + Scan-Line 550



Oven model	Inspire wall	Inspire floor	Scan-Line 550
<b>mm</b>	A: 229 / 289 (45°) B: 501 D: 345 H: 598	A: 229 / 289 (45°) B: 481 D: 345 H: 578	A: 240 / 279 (30°) B: 536 D: 400 H: 720
<b>Floor to top outlet mm</b>	-	-	-
<b>Energy efficiency class</b>	A+	A+	A+
<b>Nominal kW</b>	4	4	5
<b>Output kW</b>	2-6	2-6	3-8
<b>Heats up m<sup>2</sup></b>	20-80	20-80	30-95
<b>Weight kg</b>	67 → 80	67 → 80	93
<b>Fuel volume kg</b>	1	1	1,6
<b>Combustion chamber width mm</b>	330	330	340
<b>Distance to flammable materials</b>			
<b>At the sides mm</b>	-	-	-
<b>Behind stove mm</b>	210	210	-
<b>Distance to furniture mm</b>	900	900	800
<b>Efficiency %</b>	84	84	81,7
<b>Dust measurement NS3058 g/kg dry material</b>	1,65	1,65	4,57
<b>Dust measurement Mg/Nm<sup>3</sup> 13% O<sub>2</sub></b>	8	8	25

### Options and details

There's more to read on [heta.dk](http://heta.dk)



Control handle

Handle


Different frames

Clean combustion


Control handle

# Insert capacity measurement

## Prestige




## Panorama




## Classic

Classic 1




Classic 2




## Inspire


Inspire floor model and wall model




Inspire hidden wall model



## Scan-Line 550







Environmentally friendly combustion

# We care about the environment

We feel strongly about the environment and our common future. For many years, HETA has been working intensely on environmentally friendly manufacturing of clean burning stoves for the benefit of the environment.

All HETA stoves have impressively high burning value over 80 percent, so you get more out of your firewood, and polluting gases are burned off before leaving the chimney.

HETA's stoves are some of the most clean-burning stoves in Europe. They are tested in accordance with applicable regulations in Norway, Denmark, Germany as well as the new European standard.

HETA's completely unique fire chamber and air channels mean that CO<sub>2</sub> and harmful particles are reduced to an absolute minimum.

There is more to read on [heta.dk](http://heta.dk)

Environmentally friendly combustion

## Wood energy is CO<sub>2</sub> neutral

Wood is the world's most climate- and environmentally friendly raw material. Among other things because heating with wood is CO<sub>2</sub>-neutral - unlike fossil fuels such as oil, coal and gas. As such, heating with wood does not contribute to the greenhouse effect.

Wood does not generate more CO<sub>2</sub> when burned than when it decomposes as part of its natural cycle in the forests. When utilising wood energy, fossil fuels become unnecessary.

## Reducing CO<sub>2</sub>

The unique sizing of the fire chamber and air channels in HETA stoves reduces CO<sub>2</sub> and harmful particles to an absolute minimum.

HETA's modern combustion technique Clean Burn is particularly effective and removes soot particles on the glass door and through smoke vents. A healthy and comfortable radiation heat starts up immediately through the large glass windows when you light your stove and shortly after the convection system starts spreading the heat and coziness in the room and the adjoining rooms.

In addition, many of our products come with heat-retaining stone – soapstone, sandstone, granite or ceramic – retaining and slowly releasing the heat for many hours.





## Clean Burn

HETA's Clean Burn combustion technology ensures that combustion air is free-flowing and feeds combustion without any resistance. The preheated tertiary air supply burns the remaining gases before the smoke enters the chimney, making it an important factor for environmentally friendly combustion. The hot convection air is the air that is distributed to the surrounding area, which - together with the radiant heat from the glass window - constitutes the direct heat source.

The heat is better exploited and you can enjoy the view of the flames through the large glass window in the door - completely without soot.


**Black** = primary

**Blue** = tertiary

**Green** = secondary

**White** = flue gas

**Orange** = convection air



Optimal combustion

# HETA Automatic Combustion

HETA makes it easy to fire correctly with HETA Automatic Combustion. The automatic controlled air supply means that you just have to add wood to your stove to achieve an optimum and clean combustion. After filling up, HETA Automatic Combustion tells you when to fire again.

The module can be set to three different temperature levels. When HETA Automatic Combustion is set at a temperature level, the stove burns optimum and clean - fully automatic.

You get a detailed overview of the combustion with HETA Automatic Combustion. The module is built into the stove and has a freestanding display giving you all the information you need.



*HETA Automatic Combustion is available for  
Scan-Line 8, 500, 800, 900, 1000, 80, 40/50, 10-20-30.*





There is more to  
read on [heta.dk](http://heta.dk)

# Pellet stove

95 Scan-Line Green 300


98 Scan-Line Green 200

102 Scan-Line Green 100

Scan-Line Green 300



## Technical info Scan-Line Green 300



Oven model	Scan-Line Green 300
mm	A: 105 B: 470 C: 297 / 419 D: 596 H: 1035
Energy efficiency class	A+
Weight kg	144 → 195
Oven colour	Black + gray
Distance to flammable materials	
At the sides mm	75
Behind stove mm	50
Place at 45° in a corner	75
Distance to furniture mm	700
<b>NOMINAL LOAD</b>	
Middle CO (mg/Nm <sup>3</sup> ) %	0,0107
Middle CO (13% O <sub>2</sub> ) mg/Nm <sup>3</sup>	133
NO <sub>x</sub> (13% O <sub>2</sub> ) mg/Nm <sup>3</sup>	161
Dust measurement mg/Nm <sup>3</sup>	19
Flue gas temperature C°	76
Output kW	6
Flue gas mass flow g/s	5,8
Efficiency %	94
Energy consumption W	33
<b>LOW LOAD</b>	
Middle CO emission mg/Nm <sup>3</sup>	0,0223
Middle CO mg/Nm <sup>3</sup>	279
Average flue gas temperature C°	35
Output kW	2,4
Efficiency %	97
Energy consumption W	11
Output kW	2,4-6
Pellet tank kg	20
Pellet consumption kg/hour	0,49-1,35
Pellet type / size mm	6-8
Heats up m <sup>2</sup>	25-150
Smoke outlet Ø mm	80
Electrical connection	230V AC 50Hz
Approvals	EN 14785 15a-BVG

## Scan-Line Green 300

# Cozy and comfort

The Scan-Line Green 300 pellet stove from HETA, has made it easier for you to heat your house without compromise on comfort. The sleek designed, fully automatic pellet stove has large glass to view the flames spreading coziness throughout your house. The Scan-Line Green 300 is incredibly easy to operate and has a large intuitive color display. Set the desired temperature, power level and you can also save on fuel usage by programming your pellet stove to your heating needs.

In addition to ease of use and convenience the 300 will provide you with a cozy and comfortable warmth. It will regulate the combustion air automatically, so it always has optimal combustion. Sit back and relax, once the desired temperature in the room is achieved the 300 will automatically adjust the output, until there is a need for heat again.

We believe your pellet stove should be a statement in your home and fit into your home's interior. You can choose from sleek black or grey paint. Go bold and finish your Scan-Line Green 300 off with complete soapstone, giving you warmth after the pellet stove is off, or finish it off with just a stylish soapstone top.

## Product data

- Intuitive display
- Quality Components
- Quiet
- 6 kW rated operation
- 2-6 kW range
- 25-150 m<sup>2</sup>
- Possibility of top and rear exit
- Easy to clean
- Designed and produced in Denmark



*Scan-Line Green 300  
soapstone*



Scan-Line Green 200  
ceramic



## Scan-Line Green 200

# Heats easily 180 m<sup>2</sup>

HETA Scan-Line Green 200 matches the beautiful design of the wood-burning stove with a beautiful view to the flames. Scan-Line Green 200 is available in so many design variants that it fits any type of interior design. You can choose Scan-Line Green 200 in steel, soapstone, sandstone and 42 different colours of ceramics.


The pellet stove has a unique combustion chamber, and the technology ensures an efficiency of an impressive 97 percent. Scan-Line Green 200 easily heats 180 m<sup>2</sup> of living space and – in some cases more, if the house is insulated according to the newest energy regulations.

The pellet tank stores up to 21 kg of pellets. The pellet stove is easily turned on, off and regulated with the remote or by using the touch display mounted on the pellet stove. By use of a subsequent purchase of the HETA WiFi module it is now possible to control your pellet stove with our HETA app from your Smartphone. You can, for example, fire up in your country cottage before you arrive so it is warm and cozy already before you enter the house. HETA Remote can be downloaded to iOS and Android.

### Product data

- > View of the flames
- > Heats easily 180 m<sup>2</sup>
- > Control via Smartphone

### Technical info Scan-Line Green 200



Oven model	Scan-Line Green 200
mm	A: 105 B: 547 C: 300 / 440 D: 580 H: 1088
Energy efficiency class	A+
Weight kg	157 → 239
Oven colour	Black + gray
Distance to flammable materials At the sides mm	70
Behind stove mm	150
Distance to furniture mm	700
<b>NOMINAL LOAD</b> Middle CO (mg/Nm <sup>3</sup> ) %	0,017
Middle CO (13% O <sub>2</sub> ) mg/Nm <sup>3</sup>	213
NO <sub>x</sub> (13% O <sub>2</sub> ) mg/Nm <sup>3</sup>	111
Dust measurement mg/Nm <sup>3</sup>	18
Flue gas temperature C°	122
Output kW	9
Flue gas mass flow g/s	7,1
Efficiency %	91
Energy consumption W	68
<b>LOW LOAD</b> Middle CO emission mg/Nm <sup>3</sup>	0,025
Middle CO mg/Nm <sup>3</sup>	313
Average flue gas temperature C°	46
Output kW	2,4
Efficiency %	97
Energy consumption W	35
Output kW	3,5-9,1
Pellet tank kg	21
Pellet consumption kg/hour	0,6-2,1
Pellet type / size mm	6-8
Heats up m <sup>2</sup>	35-180
Smoke outlet Ø mm	80
Electrical connection	230V AC 50Hz



*Scan-Line Green 200  
soapstone*



*Solid full welded and Danish produced steel construction*



*Convection element in cast iron*

The technique

## High efficiency and long operating life

Our thought out construction and solid fabrication of the combustion chamber and components ensures Scan-Line Green 200 high combustion, good functionality and long operating life. The ash bucket is easy to empty, and cleaning is easy.

Scan-Line Green 200 can be mounted directly on the chimney with smoke outlet to the back 30 cm and 44 cm high up, or with top outlet. Our innovative flue pipe system is of course in accordance with applicable international guidelines for fire protection and, in addition, the system makes the installation of the pellet stove much easier than normal.



*Patented 5 Liter ash bucket*

### 21 kg

Extra large pellet tank for 21 kg pellets means longer time between filling ups.

### 97 %

The newly developed combustion chamber with Clean Burn ensures an efficiency of up to 97 %.

### 9,0 kW

Highest output is 9.0 kW – enough to heat up a modern house of 180 m<sup>2</sup>.

Scan-Line Green 100



## Scan-Line Green 100


# Spread the coziness in your living room

Scan-Line Green 100 heats your home up fast and smooth. The fully automatic pellet stove looks like a traditional wood-burning stove with glass door and a beautiful view to the flames – but you escape the struggle with the firewood. Because, Scan-Line Green 100 uses pellets as fuel. All you have to do is fill the pellet tank approximately every second day in order to get coziness and heat.

The pellet stove fires up electronically, and you can see flames after just one minute. Scan-Line Green 100 is equipped with a thermometer and you can adjust it as precisely as a radiator. If the temperature in the room gets too high, the stove shuts down automatically until more heat is required again. This way, you get an optimum and comfortable indoor environment.

By use of a subsequent purchase of the HETA WiFi module it is now possible to control your pellet stove with our HETA app from your Smartphone. You can, for example, fire up in your country cottage before you arrive so it is warm and cozy already before you enter the house. HETA Remote can be downloaded to iOS and Android.

## Technical info Scan-Line Green 100



Oven model	Scan-Line Green 100
mm	B: 479,5 C: 880 D: 607 H: 914
Energy efficiency class	A+
Weight kg	121
Oven colour	Black
Distance to flammable materials At the sides mm	75
Behind stove mm	40
Distance to furniture mm	600
<b>NOMINAL LOAD</b> Middle CO (mg/Nm <sup>3</sup> ) %	0,011
Middle CO (13% O <sub>2</sub> ) mg/Nm <sup>3</sup>	141
NO <sub>x</sub> (13% O <sub>2</sub> ) mg/Nm <sup>3</sup>	142
Dust measurement mg/Nm <sup>3</sup>	29
Flue gas temperature C°	117
Output kW	5,71
Flue gas mass flow g/s	5,7
Efficiency %	90
Energy consumption W	64
<b>LOW LOAD</b> Middle CO emission mg/Nm <sup>3</sup>	0,028
Middle CO mg/Nm <sup>3</sup>	342
Average flue gas temperature C°	50
Output kW	1,67
Efficiency %	95
Energy consumption W	21
Output kW	2-5,7
Pellet tank kg	18
Pellet consumption kg/hour	0,40-1,40
Pellet type / size mm	6-8
Heats up m <sup>2</sup>	20-130
Smoke outlet Ø mm	80
Electrical connection	230V AC 50Hz



 Made in Denmark

# Outdoor

106 Quad

108 Tipi





## Accessories

There's more to read on [heta.dk](http://heta.dk)




Power bank



Gel



Rubber mat



Cooking ring



Outdoor

# Quad

HETA's Quad outdoor pellet burner is a new and revolutionary garden product that, in addition to, being a beautiful piece of furniture, can also extend summer evenings with a beautiful and warming fire.

Quad is made of the popular Corten steel, which Heta has used for outdoor products for many years. Corten steel forms a nice patina surface that can withstand all weather conditions. HETA Quad is 50 cm high and 37 cm wide at the bottom. The inner removable combustion chamber is filled with approx. 4 kg wood pellets, which gives nice high flames for approx. 1,5 hours, after which embers maintain a high temperature for another 1,5 hours. At the bottom of the HETA Quad, a fan is mounted which, together with the included power bank, ensures the controlled combustion.

HETA Quad is ideal for the terrace, where it will create atmosphere, light and coziness in the late hours. Just as it is great for welcoming guests at the entrance of the house or in front of the restaurant. When the flames die out, the subsequent glow layer is ideal for children to make marshmallows etc.

The combustion is completely odor and smoke free, and the only thing you hear are the flames dancing. When the fire and embers die out, the combustion chamber is removable making it easy to empty the little ash that has not been burned, once empty the combustion chamber can be refilled with dry wood pellets. Then reapply the supplied gel, which easily ignites the pellets, and the cozy fire continues.





Outdoor

## Coziness in the garden with Tipi

Do you also miss the stove in the summer? With HETA's Tipi you can move the coziness of the stove out and into your garden. HETA Tipi gives heat and coziness on the terrace or in the grass. You can make popcorn and bread on a stick, roast marshmallows, sausages and anything you would like to cook over the open fire. HETA Tipi is easy to light up, easy to clean and, not least, environmentally friendly.

HETA Tipi is a beautiful sculpture in your garden. Tipi is designed for any climate and it can stay outside all year long. HETA Tipi is made from Corten steel which develops a nice, rusty-red colour over time, but this never develops into corroding rust.

### Accessories

---

- > Grill to Tipi 147
- > Galvanized steel plate



# Extend the summer evenings

Live fire calms the soul and provides a coziness after a hard day's work. HETA Tipi is a new and different terrace warmer that brings out the best in terms of functionality, design, environment, durability and live fire. HETA Tipi gives a comfortable warmth during cool summer evenings. It is practical, easy to use and clean and, not least environmentally friendly.

In HETA Tipi you can make bread on a stick, make popcorn, grill sausages, bake pizza and many other nice treats.

HETA Tipi has a sculptural effect regardless of the time of year. Tipi is designed for the Danish climate and you can enjoy the coziness and heat all year long. When HETA Tipi has been outside from April to September there will be a beautiful, smooth layer of patina on the surface.

Tipi is available in 3 sizes: 147 cm, 120 cm and 96 cm.



## Manage your firewood

Get rid of piles of wood on the terrace or on the grass. Manage your firewood with a HETA Hexagon and Trapez wood shelf and get a nice sculpture in your garden at the same time. Hexagon can also be used as a table or bench. Hexagon and Trapez are made from Corten steel, just like HETA Tipi, which develops a fantastic, rusty-red colour over time.





*Can you think of anything better than roasted marshmallows in the garden together with your loved ones? HETA Tipi provides coziness all year round.*

*Manage your firewood with HETA's wood shelves in beautiful Corten steel.*



# Accessories

Most stoves need accessories. A good firewood basket is a must. Available in different sizes. It is also important that you maintain your stove to ensure the best output and clean burn. As an example, you can replace the gaskets in the stove, repair outside damages, and keep the oven clean.

If you have a baking oven, a thermometer can keep track of the heat. You must use a grill and a dish when you bake bread and cook in the oven.

## Swivel plates

HETA's turntable plates gives you the ability to view your stove 120, 180 or 360 degrees.



## Glass plate for Tipi wood shelves

Fits Hexagon and Trapez.



**Tipi grill**

Use the grill for cooking in Tipi 147 cm  
– e.g. for grilling sausages.

## Firewood baskets

Available in different sizes. Made of recycled rubber.  
All baskets are unique.



Firewood basket Ø50 x H30



Firewood basket Ø40 x H30



**Fireside tool set**

HETA's elegant fireplace tool set, available in white or black.



**Fireside tool set**

For Scan-Line 7 series, 500, 520, Napoli and Turin.



Firewood basket Ø35 x H20



Firewood basket Ø30 x H30

## Fireside glove

You can use the glove when you add wood to the fire, or when you adjust the damper on the stove.



**Fresh air kit**

External wall pipe and vent, 1.5 m flex pipe. Insulation, heat tape, 2 clamps.

**Glass cleaner**

HETA's glass cleaner is specially formulated to not harm your glass, while making it easy to clean.

**Door, gasket set**

If the door in the stove does not seal properly it must be replaced. This is easy to do using this set which includes both gasket and glue.

**HETA WiFi Modul**

Operate your HETA pellet stove via HETA's app HETA Remote, available for iOS and Android. The app makes it easy to adjust the heat and several other control features from your smartphone, making it convenient for placing one in your cottage.

**Senotherm spray paint**

Refresh the stove. It is easy to repair small damages in the colour using Senotherm spray paint to make your stove look fresh and nice again. Senotherm spray paint tolerates heat and is easy to use.

**Thermometer**

Helps you to keep track of the heat in the baking oven.

**Grill for baking stove**

A perfect fit for your baking oven.

**Dish for baking stove**

Prepare a delicious dish in your baking oven.

**Accessories for baking stoves**

## Accessories


# Glass plates

HETA's glass plates protect your floor from ash and burns and at the same time your stove gets a nice finish. Glass plates from HETA are made from 6 mm tempered glass and can resist the heat and weight from both stove and chimney.


Our universal glass plates fit all stoves, but we also have special glass plates for the Scan-Line 7B, Scan-Line 8, Scan-Line 500, Scan-Line 800, Scan-Line 900 series and Scan-Line 1000, and the glass plates are easy to remove when you are cleaning.




**Scan-Line 900** (0021-014465)




**Scan-Line 900** (0021-014873)




**Scan-Line 7B** (0021-014466)




**Scan-Line 8 universal** (3535-0104)




**Scan-Line 8** (3535-0103)




**Scan-Line 8** (1013-011481)




**Universal** (3535-0102)




**Scan-Line 1000** (3535-0105)



**Scan-Line 800** (3535-0100)



**Scan-Line 500** (3535-0101)



 Made in Denmark



Jupitervej 22 | DK-7620 Lemvig | [heta.dk](http://heta.dk)

Dealer